The Journal of Clinical Investigation

July to December 1991
Volume 88

Produced by
The Rockefeller University Press
for The American Society
for Clinical Investigation, Inc.

The Journal of Clinical Investigation

Bruce F. Scharschmidt, *Editor*

Associate Editors

William T. Clusin
Martin G. Cogan
Ira M. Goldstein
Gary K. Schoolnik
Marc A. Shuman
Gordon J. Strewler

Consulting Editors

Jan L. Breslow
Jeffrey S. Flier
John D. Minna
Benjamin D. Schwartz
Michael J. Welsh

Managing Editor

Janice Woo

Production Editor

Michael J. Held

Editorial Assistants

David Greene
Mark Sargent

Copyediting and Production

Christopher Rael
Dianne Smith
Roger Wies

The Editorial Committee of The American Society for Clinical Investigation, Inc.

Robert J. Alpern
Nathan A. Berger
Kenneth L. Brigham
Arthur E. Broadus
Michael S. Brown
Janice G. Douglas
Alan M. Fogelman
Steven Gluck
Jeffrey I. Gordon
Harry B. Greenberg
Warner C. Greene
Robert I. Handin
Joseph S. Handler
David R. Hathaway
Marcus A. Horwitz
Stanley J. Korsmeyer
Robert J. Lefkowitz
Stephen A. Liebhaber
Dennis Y. Loh
James L. Madara
Robert J. Mason
Rodger P. McEver
Barbara E. Murray
Bernardo Nadal-Ginard
Carl F. Nathan
Paul Neiman
Alan G. Robinson
Robert S. Schwartz
Charles J. Sherr
Alan R. Tall
Stephen J. Weiss
James T. Willerson
R. Sanders Williams
Tadataka Yamada

Copyright © 1991. The American Society for Clinical Investigation, Inc.

Contents

The Journal of Clinical Investigation
July 1991, Volume 88, Number 1

Perspectives

Current understanding of the cellular biology and molecular structure of the antidiuretic hormone–stimulated water transport pathway. *H. W. Harris, Jr., K. Strange, and M. L. Zeidel* 1

Regular Articles

Role of leukotrienes in leukocyte adhesion following systemic administration of oxidatively modified human low density lipoprotein in hamsters. *H. A. Lehr, C. Hübner, B. Finckh, S. Angermüller, D. Nolte, U. Beisiegel, A. Kohlschütter, and K. Messmer* 9

Sarcoplasmic reticulum-associated cyclic adenosine 5′-monophosphate phosphodiesterase activity in normal and failing human hearts. *M. A. Movsesian, C. J. Smith, J. Krall, M. R. Bristow, and V. C. Manganiello* 15

Mechanisms of eosinophil adherence to cultured vascular endothelial cells. Eosinophils bind to the cytokine-induced endothelial ligand vascular cell adhesion molecule-1 via the very late activation antigen-4 integrin receptor. *A. Dobrina, R. Menegazzi, T. M. Carlos, E. Nardon, R. Cramer, T. Zacchi, J. M. Harlen, and P. Patriarca* 20

Effects of acute systemic hyperinsulinemia on forearm muscle proteolysis in healthy man. *P. Tessari, S. Inchiostro, G. Biolo, E. Vincenti, and L. Sabadin* . . . 27

Treatment with recombinant human tumor necrosis factor-alpha protects rats against the lethality, hypotension, and hypothermia of gram-negative sepsis. *H. R. Alexander, B. C. Sheppard, J. C. Jensen, H. N. Langstein, C. M. Buresh, D. Venzon, E. C. Walker, D. L. Fraker, M. C. Stovroff, and J. A. Norton* 34

Neutral endopeptidase and kininase II mediate glucocorticoid inhibition of neurogenic inflammation in the rat trachea. *G. Piedimonte, D. M. McDonald, and J. A. Nadel* 40

Regulation of phospholipase D and primary granule secretion by P_2-purinergic- and chemotactic peptide-receptor agonists is induced during granulocytic differentiation of HL-60 cells. *M. Xie, L. S. Jacobs, and G. R. Dubyak* 45

Contributions of $[Ca^{2+}]_i$, $[P_i]_i$, and pH_i to altered diastolic myocyte tone during partial metabolic inhibition. *H. Ikenouchi, O. Kohmoto, M. McMillan, and W. H. Barry* 55

Recruitment of new osteoblasts and osteoclasts is the earliest critical event in the pathogenesis of human multiple myeloma. *R. Bataille, D. Chappard, C. Marcelli, P. Dessauw, P. Baldet, J. Sany, and C. Alexandre* 62

Production of granulocyte/macrophage–colony-stimulating factor by human natural killer cells. Modulation by the p75 subunit of the interleukin 2 receptor and by the CD2 receptor. *L. J. Levitt, A. Nagler, F. Lee, J. Abrams, M. Shatsky, and D. Thompson* 67

Spectrin rouen ($\beta^{220-218}$), a novel shortened β-chain variant in a kindred with hereditary elliptocytosis. Characterization of the molecular defect as exon skipping due to a splice site mutation. *M. Garbarz, W. T. Tse, P. G. Gallagher, C. Picat, M.-C. Lecomte, F. Galibert, D. Dhermy, and B. G. Forget* 76

A flagella-less mutant of *Borrelia burgdorferi*. Structural, molecular, and in vitro functional characterization. *A. Šadžienė, D. D. Thomas, V. G. Bundoc, S. C. Holt, and A. G. Barbour* 82

Mechanism of mammalian cell lysis mediated by peptide defensins. Evidence for an initial alteration of the plasma membrane. *A. Lichtenstein* 93

Impaired autoregulation of glomerular capillary hydrostatic pressure in the rat remnant nephron. *J. C. Pelayo and J. Y. Westcott* 101

Uptake and metabolism of iodine is crucial for the development of thyroiditis in obese strain chickens. *T. R. Brown, R. S. Sundick, A. Dhar, D. Sheth, and N. Bagchi* 106

A nitric oxide–like factor mediates nonadrenergic-noncholinergic neurogenic relaxation of penile corpus cavernosum smooth muscle. *N. Kim, K. M. Azadzoi, I. Goldstein, and I. Saenz de Tejada* 112

Characterization of rabbit ileal receptors for *Clostridium difficile* toxin A. Evidence for a receptor-coupled G protein. *C. Pothoulakis, J. T. LaMont, R. Eglow, N. Gao, J. B. Rubins, T. C. Theoharides, and B. F. Dickey* . . . 119

Expression and distribution of renal vacuolar proton-translocating adenosine triphosphatase in response to chronic acid and alkali loads in the rat. *B. Bastani, H. Purcell, P. Hemken, D. Trigg, and S. Gluck* 126

An independent effect of osmolality on urea transport in rat terminal inner medullary collecting ducts. *J. M. Sands and D. C. Schrader* 137

Intestinal immune responses in humans. Oral cholera vaccination induces strong intestinal antibody responses and interferon-γ production and evokes local immunological memory. *M. Quiding, I. Nordström, A. Kilander, G. Andersson, L. Å. Hanson, J. Holmgren, and C. Czerkinsky* 143

In vivo glucocorticoid modulation of guinea pig splenic macrophage Fcγ receptors. *P. Ruiz, F. Gomez, M. King, R. Lopez, C. Darby, and A. D. Schreiber* 149

Intraportal glucose delivery enhances the effects of hepatic glucose load on net hepatic glucose uptake in vivo. *S. R. Myers, D. W. Biggers, D. W. Neal, and A. D. Cherrington* 158

Insulin resistance associated with lower rates of weight gain in Pima indians. *B. A. Swinburn, B. L. Nyomba, M. F. Saad, F. Zurlo, I. Raz, W. C. Knowler, S. Lillioja, C. Bogardus, and E. Ravussin* 168

Human immunodeficiency virus (HIV) transcripts identified in HIV-related psoriasis and Kaposi's sarcoma lesions. *S. E. Mahoney, M. Duvic, B. J. Nickoloff, M. Minshall, L. C. Smith, C. E. M. Griffiths, S. W. Paddock, and D. E. Lewis* 174

Induction of IgG antibodies against G_{D3} ganglioside in rabbits by an anti-idiotypic monoclonal antibody. *P. B. Chapman and A. N. Houghton* 186

Molecular basis of an autoantibody-associated restriction fragment length polymorphism that confers susceptibility to autoimmune diseases. *T. Olee, P.-M. Yang, K. A. Siminovitch, N. J. Olsen, J. Hillson, J. Wu, F. Kozin, D. A. Carson, and P. P. Chen* 193

Hypoxia and glucose independently regulate the β-adrenergic receptor-adenylate cyclase system in cardiac myocytes. *K. J. Rocha-Singh, N. Y. Honbo, and J. S. Karliner* 204

Identification of immunodominant T cell epitopes of the hepatitis B virus nucleocapsid antigen. *C. Ferrari, A. Bertoletti, A. Penna, A. Cavalli, A. Valli, G. Missale, M. Pilli, P. Fowler, T. Giuberti, F. V. Chisari, and F. Fiaccadori* 214

Interleukin 4 suppresses the spontaneous growth of chronic myelomonocytic leukemia cells. *K. Akashi, T. Shibuya, M. Harada, Y. Takamatsu, N. Uike, T. Eto, and Y. Niho* . 223

Immunoregulation in onchocerciasis. Functional and phenotypic abnormalities of lymphocyte subsets and changes with therapy. *D. O. Freedman, A. Lujan-Trangay, C. Steel, C. Gonzalez-Peralta, and T. B. Nutman* 231

Impairment of natural killer functions by interleukin 6 increases lymphoblastoid cell tumorigenicity in athymic mice. *J. Tanner and G. Tosato* 239

Human appendix B cells naturally express receptors for and respond to interleukin 6 with selective IgA1 and IgA2 synthesis. *K. Fujihashi, J. R. McGhee, C. Lue, K. W. Beagley, T. Taga, T. Hirano, T. Kishimoto, J. Mestecky, and H. Kiyono* 248

150-kD von Willebrand factor binding protein extracted from human vascular subendothelium is type VI collagen. *J. H. Rand, N. D. Patel, E. Schwartz, S.-L. Zhou, and B. J. Potter* 253

Hormone-mediated down-regulation of hepatic glutathione synthesis in the rat. *S. C. Lu, J. Kuhlenkamp, C. Garcia-Ruiz, and N. Kaplowitz* 260

Phenotypes of apolipoprotein B and apolipoprotein E after liver transplantation. *M. F. Linton, R. Gish, S. T. Hubl, E. Bütler, C. Esquivel, W. I. Bry, J. K. Boyles, M. R. Wardell, and S. G. Young* 270

Reduction in susceptibility to natural killer cell–mediated lysis of human FO-1 melanoma cells after induction of HLA class I antigen expression by transfection with B_2m gene. *M. Maio, M. Altomonte, R. Tatake, R. A. Zeff, and S. Ferrone* 282

An acquired antithrombin autoantibody directed toward the catalytic center of the enzyme. *P. Sié, A. Bezeaud, D. Dupouy, G. Archipoff, J.-M. Freyssinet, J.-M. Dugoujon, G. Serre, M.-C. Guillin, and B. Boneu* . . 290

Organ specific cytokine therapy. Local activation of mononuclear phagocytes by delivery of an aerosol of recombinant interferon-γ to the human lung. *H. A. Jaffe, R. Buhl, A. Mastrangeli, K. J. Holroyd, C. Saltini, D. Czerski, H. S. Jaffe, S. Kramer, S. Sherwin, and R. G. Crystal* 297

Study of brain electrolytes and organic osmolytes during correction of chronic hyponatremia. Implications for the pathogenesis of central pontine myelinolysis. *Y.-H. H. Lien, J. I. Shapiro, and L. Chan* 303

Cyclosporine-induced synthesis of endothelin by cultured human endothelial cells. *T. E. Bunchman and C. A. Brookshire* 310

Characterization of keratocalmin, a calmodulin-binding protein from human epidermis. *J. A. Fairley, G. A. Scott, K. D. Jensen, L. A. Goldsmith, and L. A. Diaz* 315

Skeletal actin mRNA increases in the human heart during ontogenic development and is the major isoform of control and failing adult hearts. *K. R. Boheler, L. Carrier, D. de la Bastie, P. D. Allen, M. Komajda, J.-J. Mercadier, and K. Schwartz* 323

Rapid Publications

The rapid and reversible activation of a calcium-independent plasmalogen-selective phospholipase A_2 during myocardial ischemia. *D. A. Ford, S. L. Hazen, J. E. Saffitz, and R. W. Gross* 331

Binding domains of stimulatory and inhibitory thyrotropin (TSH) receptor autoantibodies determined with chimeric TSH-lutropin/chorionic gonadotropin receptors. *Y. Nagayama, H. L. Wadsworth, D. Russo, G. D. Chazenbalk, and B. Rapoport* 336

High levels of P19/NM23 protein in neuroblastoma are associated with advanced stage disease and with N-*myc* gene amplification. *N. Hailat, D. R. Keim, R. F. Melhem, X.-x. Zhu, C. Eckerskorn, G. M. Brodeur, C. P. Reynolds, R. C. Seeger, F. Lottspeich, J. R. Strahler, and S. M. Hanash* 341

Purified protein derivative of *Mycobacterium tuberculosis* and excretory-secretory antigen(s) of *Toxocara canis* expand in vitro human T cells with stable and opposite (type 1 T helper or type 2 T helper) profile of cytokine production. *G. F. Del Prete, M. De Carli, C. Mastromauro, R. Biagiotti, D. Macchia, P. Falagiani, M. Ricci, and S. Romagnani* 346

Chloroquine inhibits the intracellular multiplication of *Legionella pneumophila* by limiting the availability of iron. A potential new mechanism for the therapeutic effect of chloroquine against intracellular pathogens. *T. F. Byrd and M. A. Horwitz* 351

July Author Index 358

Contents

The Journal of Clinical Investigation
August 1991, Volume 88, Number 2

Perspectives

Mechanisms of acute ischemic contractile failure of the heart. Role of intracellular calcium. *J. A. Lee and D. G. Allen* 361

Regular Articles

Effects of growth hormone and insulin-like growth factor I on rabbit proximal convoluted tubule transport. *R. Quigley and M. Baum* 368

Upregulation of the rat cardiac sodium channel by in vivo treatment with a class I antiarrhythmic drug. *M. Taouis, R. S. Sheldon, and H. J. Duff* 375

Interleukin 2 mediates stimulation of complement C3 biosynthesis in human proximal tubular epithelial cells. *R. A. Brooimans, A. P. A. Stegmann, W. T. van Dorp, A. A. J. van der Ark, F. J. van der Woude, L. A. van Es, and M. R. Daha* 379

Glucocorticoids induce transcription and expression of the α1B adrenergic receptor gene in DTT1 MF-2 smooth muscle cells. *M. Sakaue and B. B. Hoffman* 385

Role of nitric oxide in renal medullary oxygenation. Studies in isolated and intact rat kidneys. *M. Brezis, S. N. Heyman, D. Dinour, F. H. Epstein, and S. Rosen* 390

Intestinal absorption of magnesium from food and supplements. *K. D. Fine, C. A. Santa Ana, J. L. Porter, and J. S. Fordtran* 396

Pneumocystis carinii attachment to cultured lung cells by pneumocystis gp120, a fibronectin binding protein. *S. T. Pottratz, J. Paulsrud, J. S. Smith, and W. J. Martin II* 403

Effector mechanisms in organ-specific autoimmunity. I. Characterization of a $CD8^+$ T cell line that mediates murine interstitial nephritis. *C. M. Meyers and C. J. Kelly* 408

Differential effects of microenvironmentally presented interleukin 3 versus soluble growth factor on primitive human hematopoietic cells. *T. Otsuka, J. D. Thacker, C. J. Eaves, and D. E. Hogge* 417

Transcellular water flow modulates water channel exocytosis and endocytosis in kidney collecting tubule. *M. Kuwahara, L.-B. Shi, F. Marumo, and A. S. Verkman* 423

Bicarbonate transport along the loop of Henle. I. Microperfusion studies of load and inhibitor sensitivity. *G. Capasso, R. Unwin, S. Agulian, and G. Giebisch* . . . 430

Three-dimensional characterization of human ventricular myofiber architecture by ultrasonic backscatter. *S. A. Wickline, E. D. Verdonk, and J. G. Miller* 438

Prostacyclin production and mediation of adenylate cyclase activity in the pulmonary artery. Alterations after prolonged hypoxia in the rat. *P. W. Shaul, B. Kinane, M. A. Farrar, L. M. Buja, and R. R. Magness* 447

An epoxygenase metabolite of arachidonic acid mediates angiotensin II-induced rises in cytosolic calcium in rabbit proximal tubule epithelial cells. *Z. T. Madhun, D. A. Goldthwait, D. McKay, U. Hopfer, and J. G. Douglas* 456

Dissociation and redistribution of Na^+,K^+-ATPase from its surface membrane actin cytoskeletal complex during cellular ATP depletion. *B. A. Molitoris, A. Geerdes, and J. R. McIntosh* 462

Secretion of insulinlike growth factor I and insulinlike growth factor–binding proteins by murine bone marrow stromal cells. *S. L. Abboud, C. R. Bethel, and D. C. Aron* 470

Human anti-phosphorylcholine antibodies share idiotopes and are self-binding. *R. Halpern, S. V. Kaveri, and H. Köhler* 476

Relationship between apolipoprotein(a) phenotype, lipoprotein(a) concentration in plasma, and low density lipoprotein receptor function in a large kindred with familial hypercholesterolemia due to the $pro_{664} \rightarrow$ leu mutation in the LDL receptor gene. *A. K. Soutar, S. N. McCarthy, M. Seed, and B. L. Knight* 483

Mast cell tryptase is a mitogen for cultured fibroblasts. *S. J. Ruoss, T. Hartmann, and G. H. Caughey* 493

ATP-dependent K^+ channels modulate vasoconstrictor responses to severe hypoxia in isolated ferret lungs. *C. M. Wiener, A. Dunn, and J. T. Sylvester* 500

Suppressed expression of ICAM-1 and LFA-1 and abrogation of leukocyte collaboration after exposure of human mononuclear leukocytes to respiratory syncytial virus in vitro. Comparison with exposure to influenza virus. *A. R. Salkind, J. E. Nichols, and N. J. Roberts, Jr.* . . . 505

Exogenous insulin augments in healthy volunteers the cardiovascular reactivity to noradrenaline but not to angiotensin II. *R. O. B. Gans, H. J. G. Bilo, W. W. A. v. Maarschalkerweerd, R. J. Heine, J. J. P. Nauta, and A. J. M. Donker* 512

Mutations of P450c21 (steroid 21-hydroxylase) at Cys^{428}, Val^{281}, and Ser^{268} result in complete, partial, or no loss of enzymatic activity, respectively. *D.-A. Wu and B. Chung* 519

Glomerular function in Pima Indians with noninsulin-dependent diabetes mellitus of recent onset. *B. D. Myers, R. G. Nelson, G. W. Williams, P. H. Bennett, S. A. Hardy, R. L. Berg, N. Loon, W. C. Knowler, and W. E. Mitch* . . 524

Phosphatidic acid as a second messenger in human polymorphonuclear leukocytes. Effects on activation of NADPH oxidase. *D. E. Agwu, L. C. McPhail, S. Sozzani, D. A. Bass, and C. E. McCall* 531

Activation of human monocyte-derived macrophages with lipopolysaccharide decreases human immunodeficiency virus replication in vitro at the level of gene expression. *M. S. Bernstein, S. E. Tong-Starksen, and R. M. Locksley* 540

Upregulated expression and function of VLA-4 fibronectin receptors on human activated T cells in rheumatoid arthritis. *A. Laffón, R. García-Vicuña, A. Humbría, A. A. Postigo, A. L. Corbí, M. O. de Landázuri, and F. Sánchez-Madrid* 546

Lipolysis exposes unreactive endogenous apolipoprotein E-3 in human and rat plasma very low density lipoprotein. *E. Sehayek, U. Lewin-Velvert, T. Chajek-Shaul, and S. Eisenberg* 553

Effect of physiologic hyperinsulinemia on glucose and lipid metabolism in cirrhosis. *A. S. Petrides, L. C. Groop, C. A. Riely, and R. A. DeFronzo* 561

Expression of the early growth response 1 and 2 zinc finger genes during induction of monocytic differentiation. *S. Kharbanda, T. Nakamura, R. Stone, R. Hass, S. Bernstein, R. Datta, V. P. Sukhatme, and D. Kufe* . . 571

Sources of carbon for hepatic glycogen synthesis in the conscious dog. *M. C. Moore, A. D. Cherrington, G. Cline, M. J. Pagliassotti, E. M. Jones, D. W. Neal, C. Badet, and G. I. Shulman* 578

Leukocyte adhesion–deficient neutrophils fail to amplify phagocytic function in response to stimulation. Evidence for CD11b/CD18-dependent and -independent mechanisms of phagocytosis. *H. D. Gresham, I. L. Graham, D. C. Anderson, and E. J. Brown* 588

Differences in the expression of the cardiopulmonary alterations associated with anti–immunoglobulin E-induced or active anaphylaxis in mast cell–deficient and normal mice. Mast cells are not required for the cardiopulmonary changes associated with certain fatal anaphylactic responses. *T. Takeishi, T. R. Martin, I. M. Katona, F. D. Finkelman, and S. J. Galli* 598

Effects of body fat distribution on regional lipolysis in obesity. *M. L. Martin and M. D. Jensen* 609

The effects of infusion of insulinlike growth factor (IGF) I, IGF-II, and insulin on glucose and protein metabolism in fasted lambs. *R. G. Douglas, P. D. Gluckman, K. Ball, B. Breier, and J. H. F. Shaw* 614

Mesangial cell immune injury. Synthesis, origin, and role of eicosanoids. *E. A. Lianos, B. A. Bresnahan, and C. Pan* 623

Cationic *Yersinia* antigen-induced chronic allergic arthritis in rats. A model for reactive arthritis in humans. *A. K. H. Mertz, S. R. Batsford, E. Curschellas, M. J. Kist, and K. B. Gondolf* 632

Familial dysbetalipoproteinemia associated with apolipoprotein E3-Leiden in an extended multigeneration pedigree. *P. de Knijff, A. M. J. M. van den Maagdenberg, A. F. H. Stalenhoef, J. A. G. Leuven, P. N. M. Demacker, L. P. Kuyt, R. R. Frants, and L. M. Havekes* 643

Taurine behaves as an osmolyte in Madin-Darby canine kidney cells. Protection by polarized, regulated transport of taurine. *S. Uchida, T. Nakanishi, H. M. Kwon, A. S. Preston, and J. S. Handler* 656

Acute lung injury. Pathogenesis of intraalveolar fibrosis. *L. S. Snyder, M. I. Hertz, M. S. Peterson, K. R. Harmon, W. A. Marinelli, C. A. Henke, J. R. Greenheck, B. Chen, and P. B. Bitterman* 663

Oxygen-dependent lipid peroxidation during lung ischemia. *A. B. Fisher, C. Dodia, Z. Tan, I. Ayene, and R. G. Eckenhoff* 674

Drug-induced anti-histone autoantibodies display two patterns of reactivity with substructures of chromatin. *R. W. Burlingame and R. L. Rubin* 680

Rapid Publications

Ionizing radiation induces expression and binding activity of the nuclear factor κB. *M. A. Brach, R. Hass, M. L. Sherman, H. Gunji, R. Weichselbaum, and D. Kufe* 691

Interleukin-6 antisense oligonucleotides inhibit the growth of human myeloma cell lines. *Y. Levy, A. Tsapis, and J.-C. Brouet* 696

Truncated forms of DNA-binding estrogen receptors in human breast cancer. *G. K. Scott, P. Kushner, J.-L. Vigne, and C. C. Benz* 700

Lysosomal α-*N*-acetylgalactosaminidase deficiency, the enzymatic defect in angiokeratoma corporis diffusum with glycopeptiduria. *T. Kanzaki, A. M. Wang, and R. J. Desnick* 707

Localization of the cystic fibrosis transmembrane conductance regulator in pancreas. *C. R. Marino, L. M. Matovcik, F. S. Gorelick, and J. A. Cohn* 712

Recapitulation of normal and abnormal BB rat immune system development in *scid* mouse/rat lymphohemopoietic chimeras. *D. L. Greiner, L. D. Shultz, A. A. Rossini, J. P. Mordes, E. S. Handler, and T. V. Rajan* 717

August Author Index 725

Contents

The Journal of Clinical Investigation
September 1991, Volume 88, Number 3

Perspectives

Mechanisms of viral pathogenesis. Distinct forms of reoviruses and their roles during replication in cells and host. *M. L. Nibert, D. B. Furlong, and B. N. Fields* . . . 727

Regular Articles

A Cl^- channel activated by parathyroid hormone in rabbit renal proximal tubule cells. *M. Suzuki, T. Morita, K. Hanaoka, Y. Kawaguchi, and O. Sakai* 735

Four different mutations in Codon 28 of α spectrin are associated with structurally and functionally abnormal spectrin $\alpha^{I/74}$ in hereditary elliptocytosis. *T. L. Coetzer, K. Sahr, J. Prchal, H. Blacklock, L. Peterson, R. Koler, J. Doyle, J. Manaster, and J. Palek* 743

Penicillin-binding protein inactivation by human neutrophil myeloperoxidase. *R. M. Rakita and H. Rosen* 750

Nonsense mutations affect C1 inhibitor messenger RNA levels in patients with type I hereditary angioneurotic edema. *D. Frangi, M. Cicardi, A. Sica, F. Colotta, A. Agostoni, and A. E. Davis III* 755

Concanavalin A amplifies both β-adrenergic and muscarinic cholinergic receptor-adenylate cyclase-linked pathways in cardiac myocytes. *K. J. Rocha-Singh, D. K. Hines, N. Y. Honbo, and J. S. Karliner* 760

Intra-islet insulin permits glucose to directly suppress pancreatic A cell function. *C. J. Greenbaum, P. J. Havel, G. J. Taborsky, Jr., and L. J. Klaff* 767

Heterogeneity of plasma von Willebrand factor multimers resulting from proteolysis of the constituent subunit. *J. A. Dent, M. Galbusera, and Z. M. Ruggeri* 774

Na/H antiporter mRNA expression in single nephron segments of rat kidney cortex. *R. Krapf and M. Solioz* 783

Autocrine stimulation by erythropoietin and autonomous growth of human erythroid leukemic cells in vitro. *M.-T. Mitjavila, J.-P. Le Couedic, N. Casadevall, S. Navarro, J.-L. Villeval, A. Dubart, and W. Vainchenker* 789

Acidic polyamino acids inhibit human eosinophil granule major basic protein toxicity. Evidence of a functional role for ProMBP. *R. L. Barker, R. H. Gundel, G. J. Gleich, J. L. Checkel, D. A. Loegering, L. R. Pease, and K. J. Hamann* 798

Niemann-Pick type B disease. Identification of a single codon deletion in the acid sphingomyelinase gene and genotype/phenotype correlations in type A and B patients. *O. Levran, R. J. Desnick, and E. H. Schuchman* 806

Altered transcriptional regulation of phosphoenolpyruvate carboxykinase in rats following endotoxin treatment. *M. Hill and R. McCallum* 811

Differential processing of proenkephalin-A by human peripheral blood monocytes and T lymphocytes. *W. Kuis, P. M. Villiger, H.-G. Leser, and M. Lotz* 817

Human eosinophils express functional interleukin 2 receptors. *T. H. Rand, D. S. Silberstein, H. Kornfeld, and P. F. Weller* 825

Differential effects of insulin deficiency on albumin and fibrinogen synthesis in humans. *P. De Feo, M. G. Gaisano, and M. W. Haymond* 833

Augmentation of reverse arthus reaction by mast cells in mice. *Y. Zhang, B. F. Ramos, and B. A. Jakschik* . . . 841

Localization of human platelet autoantigens to the cysteine-rich region of glycoprotein IIIa. *R. Kekomaki, B. Dawson, J. McFarland, and T. J. Kunicki* 847

Carbachol- and elevated Ca^{2+}-induced translocation of functionally active protein kinase C to the brush border of rabbit ileal Na^+ absorbing cells. *M. E. Cohen, J. Wesolek, J. McCullen, K. Rys-Sikora, S. Pandol, R. P. Rood, G. W. G. Sharp, and M. Donowitz* 855

Differential responses of the endothelial and epithelial barriers of the lung in sheep to *Escherichia coli* endotoxin. *J. P. Wiener-Kronish, K. H. Albertine, and M. A. Matthay* 864

Construction of peptides encompassing multideterminant clusters of human immunodeficiency virus envelope to induce in vitro T cell responses in mice and humans of multiple MHC types. *J. A. Berzofsky, C. D. Pendleton, M. Clerici, J. Ahlers, D. R. Lucey, S. D. Putney, and G. M. Shearer* 876

Efficacy of antilipopolysaccharide and anti–tumor necrosis factor monoclonal antibodies in a neutropenic rat model of *Pseudomonas* sepsis. *S. M. Opal, A. S. Cross, J. C. Sadoff, H. H. Collins, N. M. Kelly, G. H. Victor, J. E. Palardy, and M. W. Bodmer* 885

Neutrophil accumulation in the lung in α1-antitrypsin deficiency. Spontaneous release of leukotriene B_4 by alveolar macrophages. *R. C. Hubbard, G. Fells, J. Gadek, S. Pacholok, J. Humes, and R. G. Crystal* 891

Rapid alteration in circulating free thyroxine modulates pituitary Type II 5′ deiodinase and basal thyrotropin secretion in the rat. *S. L. Abend, S. L. Fang, S. Alex, L. E. Braverman, and J. L. Leonard* 898

Production of transforming growth factor β_1 during repair of arterial injury. *M. W. Majesky, V. Lindner, D. R. Twardzik, S. M. Schwartz, and M. A. Reidy* . . . 904

Variable region diversity in human circulating antibodies specific for the capsular polysaccharide of *Haemophilus influenzae* type b preferential usage of two types of VH3 heavy chains. *G. J. Silverman and A. H. Lucas* 911

Expression of AT_2 receptors in the developing rat fetus. *E. F. Grady, L. A. Sechi, C. A. Griffin, M. Schambelan, and J. E. Kalinyak* 921

Modulation of glucose regulation and insulin secretion by circadian rhythmicity and sleep. *E. Van Cauter, J. D. Blackman, D. Roland, J.-P. Spire, S. Refetoff, and K. S. Polonsky* 934

Dietary fish oil–induced changes in intrahepatic cholesterol transport and bile acid synthesis in rats. *M. J. Smit, A. M. Temmerman, H. Wolters, F. Kuipers, A. C. Beynen, and R. J. Vonk* 943

Luminal vasopressin modulates transport in the rabbit cortical collecting duct. *Y. Ando, K. Tabei, and Y. Asano* 952

Effects of fat on insulin-stimulated carbohydrate metabolism in normal men. *G. Boden, F. Jadali, J. White, Y. Liang, M. Mozzoli, X. Chen, E. Coleman, and C. Smith* 960

Cytokine regulation of immunoglobulin secretion by neonatal lymphocytes. *J. B. Splawski and P. E. Lipsky* 967

Metabolism of prostaglandin $F_{2\alpha}$ in Zellweger syndrome. Peroxisomal β-oxidation is of major importance for in vivo degradation of prostaglandins in humans. *U. Diczfalusy, B. F. Kase, S. E. H. Alexson, and I. Björkhem* 978

Chylomicron-retinyl palmitate clearance in type I hyperlipidemic families. *D. L. Sprecher, S. L. Knauer, D. M. Black, L. A. Kaplan, A. A. Akeson, M. Dusing, D. Lattier, E. A. Stein, M. Rymaszewski, and D. A. Wiginton* 985

Vascular cell adhesion molecule-1 and the integrin VLA-4 mediate adhesion of human B cell precursors to cultured bone marrow adherent cells. *D. H. Ryan, B. L. Nuccie, C. N. Abboud, and J. M. Winslow* 995

MUC-2 human small intestinal mucin gene structure. Repeated arrays and polymorphism. *N. W. Toribara, J. R. Gum, Jr., P. J. Culhane, R. E. Lagace, J. W. Hicks, G. M. Petersen, and Y. S. Kim* 1005

Glycolytic inhibition and calcium overload as consequences of exogenously generated free radicals in rabbit hearts. *M. C. Corretti, Y. Koretsune, H. Kusuoka, V. P. Chacko, J. L. Zweier, and E. Marban* 1014

Role of T lymphocyte subsets in the pathogenesis of primary infection and rechallenge with respiratory syncytial virus in mice. *B. S. Graham, L. A. Bunton, P. F. Wright, and D. T. Karzon* 1026

Rapid Publications

Maple syrup urine disease in mennonites. Evidence that the Y393N mutation in E1α impedes assembly of the E1 component of branched-chain α-keto acid dehydrogenase complex. *C. R. Fisher, J. L. Chuang, R. P. Cox, C. W. Fisher, R. A. Star, and D. T. Chuang* 1034

Type I human T cell leukemia virus tax protein transforms rat fibroblasts through the cyclic adenosine monophosphate response element binding protein/activating transcription factor pathway. *M. R. Smith and W. C. Greene* 1038

Targeted and highly efficient gene transfer into $CD4^+$ cells by a recombinant human immunodeficiency virus retroviral vector. *T. Shimada, H. Fujii, H. Mitsuya, and A. W. Nienhuis* 1043

Endobronchial allergen challenge in asthma. Demonstration of cellular source of granulocyte macrophage colony-stimulating factor by in situ hybridization. *D. H. Broide and G. S. Firestein* 1048

Hypoxia induces endothelin gene expression and secretion in cultured human endothelium. *S. Kourembanas, P. A. Marsden, L. P. McQuillan, and D. V. Faller* . . . 1054

Detection of replicative intermediates of hepatitis C viral RNA in liver and serum of patients with chronic hepatitis C. *T.-L. Fong, M. Shindo, S. M. Feinstone, J. H. Hoofnagle, and A. M. Di Bisceglie* 1058

September Author Index 1061

Contents

The Journal of Clinical Investigation
October 1991, Volume 88, Number 4

Perspectives

In search of Mr. Wizard. Presidential address to the American Society for Clinical Investigation, Seattle, Washington, 4 May 1991. *W. J. Koopman* 1063

The plasminogen activator/plasmin system. *J.-D. Vassalli, A.-P. Sappino, and D. Belin* 1067

Regular Articles

Differential protease expression by cutaneous squamous and basal cell carcinomas. *A.-P. Sappino, D. Belin, J. Huarte, S. Hirschel-Scholz, J.-H. Saurat, and J.-D. Vassalli* 1073

Killing of gram-negative bacteria by lactoferrin and lysozyme. *R. T. Ellison III and T. J. Giehl* 1080

Pseudomonas and neutrophil products modify transferrin and lactoferrin to create conditions that favor hydroxyl radical formation. *B. E. Britigan and B. L. Edeker* . . . 1092

Lactoferrin inhibits or promotes *Legionella pneumophila* intracellular multiplication in nonactivated and interferon gamma-activated human monocytes depending upon its degree of iron saturation. Iron-lactoferrin and nonphysiologic iron chelates reverse monocyte activation against *Legionella pneumophila*. *T. F. Byrd and M. A. Horwitz* 1103

An activated CD8+ lymphocyte appears in lymph nodes of rhesus monkeys early after infection with simian immunodeficiency virus. *K. A. Reimann, G. B. Snyder, L. V. Chalifoux, B. C. D. Waite, M. D. Miller, H. Yamamoto, O. Spertini, and N. L. Letvin* 1113

Monocyte chemoattractant protein-1 in human atheromatous plaques. *N. A. Nelken, S. R. Coughlin, D. Gordon, and J. N. Wilcox* 1121

Ligand bridging mediates integrin $\alpha_{IIb}\beta_3$ (platelet GPIIB-IIIA) dependent homotypic and heterotypic cell–cell interactions. *M. P. Gawaz, J. C. Loftus, M. L. Bajt, M. M. Frojmovic, E. F. Plow, and M. H. Ginsberg* . . . 1128

A pH modifier site regulates activity of the Na^+:HCO_3^- cotransporter in basolateral membranes of kidney proximal tubules. *M. Soleimani, G. A. Lesoine, J. A. Bergman, and T. D. McKinney* 1135

Alteration of collagen phenotypes in ischemic cardiomyopathy. *D. Mukherjee and S. Sen* 1141

Endothelial cells modulate renin secretion from isolated mouse juxtaglomerular cells. *A. Kurtz, B. Kaissling, R. Busse, and W. Baier* 1147

Reduction of contact activation related fibrinolytic activity in factor XII deficient patients. Further evidence for the role of the contact system in fibrinolysis in vivo. *M. Levi, C. E. Hack, J. P. de Boer, D. P. M. Brandjes, H. R. Büller, and J. Wouter ten Cate* 1155

Illegitimate transcription. Application to the analysis of truncated transcripts of the dystrophin gene in nonmuscle cultured cells from Duchenne and Becker patients. *J. Chelly, H. Gilgenkrantz, J. P. Hughnot, G. Hamard, M. Lambert, D. Récan, S. Akli, M. Cometto, A. Kahn, and J. C. Kaplan* 1161

Decreased DNA synthesis by cultured osteoblastic cells in eugonadal osteoporotic men with defective bone formation. *P. J. Marie, M. C. de Vernejoul, D. Connes, and M. Hott* 1167

Use of an anti–low density lipoprotein receptor antibody to quantify the role of the LDL receptor in the removal of chylomicron remnants in the mouse in vivo. *S. Y. Choi, L. G. Fong, M. J. Kirven, and A. D. Cooper* 1173

Fibronectin biosynthesis in the rat aorta in vitro. Changes due to experimental hypertension. *R. Saouaf, I. Takasaki, E. Eastman, A. V. Chobanian, and P. Brecher* 1182

Oligonucleotides antisense to the interleukin 1 receptor mRNA block the effects of interleukin 1 in cultured murine and human fibroblasts and in mice. *R. M. Burch and L. C. Mahan* 1190

Deficiency of skeletal muscle succinate dehydrogenase and aconitase. Pathophysiology of exercise in a novel human muscle oxidative defect. *R. G. Haller, K. G. Henriksson, L. Jorfeldt, E. Hultman, R. Wibom, K. Sahlin, N.-H. Areskog, M. Gunder, K. Ayyad, C. G. Blomqvist, R. E. Hall, P. Thuillier, N. G. Kennaway, and S. F. Lewis* 1197

Alterations in the structure, physicochemical properties, and pH of hepatocyte lysosomes in experimental iron overload. *B. M. Myers, F. G. Prendergast, R. Holman, S. M. Kuntz, and N. F. LaRusso* 1207

Adherence of neutrophils to canine cardiac myocytes in vitro is dependent on intercellular adhesion molecule-1. *C. W. Smith, M. L. Entman, C. L. Lane, A. L. Beaudet, T. I. Ty, K. Youker, H. K. Hawkins, and D. C. Anderson* 1216

Staphylococci surviving intracellularly in phagocytes from patients suffering from chronic granulomatous disease are killed in vitro by antibiotics encapsulated in liposomes. *J. Roesler, S. Hockertz, B. Vogt, and M.-L. Lohmann-Matthes* 1224

Insulin attenuates vasopressin-induced calcium transients and a voltage-dependent calcium response in rat vascular smooth muscle cells. *P. R. Standley, F. Zhang, J. L. Ram, M. B. Zemel, and J. R. Sowers* 1230

Antibody to CD-18 exerts endothelial and cardiac protective effects in myocardial ischemia and reperfusion. *X.-L. Ma, P. S. Tsao, and A. M. Lefer* 1237

Requirement of CD4-positive T cells for cellular recruitment to the lungs of mice in response to a particulate intratracheal antigen. *J. L. Curtis, P. K. Byrd, M. L. Warnock, and H. B. Kaltreider* 1244

Intracellular Mg^{2+} and magnesium depletion in isolated renal thick ascending limb cells. *L.-J. Dai and G. A. Quamme* 1255

Glycochenodeoxycholic acid inhibits calcium phosphate precipitation in vitro by preventing the transformation of amorphous calcium phosphate to calcium hydroxyapatite. *S.-M. Qiu, G. Wen, N. Hirakawa, R. D. Soloway, N.-K. Hong, and R. S. Crowther* 1265

Evidence for entry of plasma insulin into cerebrospinal fluid through an intermediate compartment in dogs. Quantitative aspects and implications for transport. *M. W. Schwartz, R. N. Bergman, S. E. Kahn, G. J. Taborsky, Jr., L. D. Fisher, A. J. Sipols, S. C. Woods, G. M. Steil, and D. Porte, Jr.* 1272

Effect of the antilipolytic nicotinic acid analogue acipimox on whole-body and skeletal muscle glucose metabolism in patients with non–insulin-dependent diabetes mellitus. *A. Vaag, P. Skött, P. Damsbo, M.-A. Gall, E. A. Richter, and H. Beck-Nielsen* 1282

Role of L-thyroxine in nuclear thyroid hormone receptor occupancy and growth hormone production in cultured GC cells. *Y. Halperin, L. E. Shapiro, and M. I. Surks* . . 1291

Lipoprotein lipase modulates net secretory output of apolipoprotein B in vitro. A possible pathophysiologic explanation for familial combined hyperlipidemia. *K. J. Williams, K. A. Petrie, R. W. Brocia, and T. L. Swenson* 1300

Effects of cocaine on epicardial coronary artery reactivity in miniature swine after endothelial injury and high cholesterol feeding. In vivo and in vitro analysis. *K. Egashira, F. S. Pipers, and J. P. Morgan* 1307

Detection of human T cell lymphotropic virus type I proviral DNA and its gene expression in synovial cells in chronic inflammatory arthropathy. *I. Kitajima, K. Yamamoto, K. Sato, Y. Nakajima, T. Nakajima, I. Maruyama, M. Osame, and K. Nishioka* 1315

Analysis of the gene sequences of the insulin receptor and the insulin-sensitive glucose transporter (GLUT-4) in patients with common-type non–insulin-dependent diabetes mellitus. *J. Kusari, U. S. Verma, J. B. Buse, R. R. Henry, and J. M. Olefsky* 1323

Immunosuppressive activity of 13-*cis*-retinoic acid and prevention of experimental autoimmune encephalomyelitis in rats. *L. Massacesi, E. Castigli, M. Vergelli, J. Olivotto, A. L. Abbamondi, F. Sarlo, and L. Amaducci* 1331

Sphingolipids are required for mammalian epidermal barrier function. Inhibition of sphingolipid synthesis delays barrier recovery after acute perturbation. *W. M. Holleran, M. Mao-Qiang, W. N. Gao, G. K. Menon, P. M. Elias, and K. R. Feingold* 1338

Regulation of murine type 1 plasminogen activator inhibitor gene expression in vivo. Tissue specificity and induction by lipopolysaccharide, tumor necrosis factor-α, and transforming growth factor-β. *M. S. Sawdey and D. J. Loskutoff* 1346

A unique receptor-independent mechanism by which insulinlike growth factor I regulates the availability of insulinlike growth factor binding proteins in normal and transformed human fibroblasts. *C. A. Conover* 1354

Red blood cells are a sink for interleukin 8, a leukocyte chemotaxin. *W. C. Darbonne, G. C. Rice, M. A. Mohler, T. Apple, C. A. Hébert, A. J. Valente, and J. B. Baker* . . 1362

LKM-1 autoantibodies recognize a short linear sequence in P450IID6, a cytochrome P-450 monooxygenase. *M. P. Manns, K. J. Griffin, K. F. Sullivan, and E. F. Johnson* 1370

Sodium uptake across basolateral membrane of rat distal colon. Evidence for Na-H exchange and Na-anion cotransport. *V. M. Rajendran, M. Oesterlin, and H. J. Binder* 1379

Identification and partial characterization of angiogenesis bioactivity in the lower respiratory tract after acute lung injury. *C. Henke, V. Fiegel, M. Peterson, M. Wick, D. Knighton, J. McCarthy, and P. Bitterman* 1386

Role of endothelial-leukocyte adhesion molecule 1 (ELAM-1) in neutrophil-mediated lung injury in rats. *M. S. Mulligan, J. Varani, M. K. Dame, C. L. Lane, C. W. Smith, D. C. Anderson, and P. A. Ward* 1396

Rapid Publications

Endothelial leukocyte adhesion molecule-1 mediates antigen-induced acute airway inflammation and late-phase airway obstruction in monkeys. *R. H. Gundel, C. D. Wegner, C. A. Torcellini, C. C. Clarke, N. Haynes, R. Rothlein, C. W. Smith, and L. G. Letts* 1407

An in vivo animal model of gene therapy for leukocyte adhesion deficiency. *J. C. Krauss, L. A. Mayo-Bond, C. E. Rogers, K. L. Weber, R. F. Todd III, and J. M. Wilson* 1412

Interleukin-5 and the posttreatment eosinophilia in patients with onchocerciasis. *A. P. Limaye, J. S. Abrams, J. E. Silver, K. Awadzi, H. F. Francis, E. A. Ottesen, and T. B. Nutman* 1418

Identification and regulation of the cystic fibrosis transmembrane conductance regulator–generated chloride channel. *H. A. Berger, M. P. Anderson, R. J. Gregory, S. Thompson, P. W. Howard, R. A. Maurer, R. Mulligan, A. E. Smith, and M. J. Welsh* 1422

October Author Index 1432

Correction 1433

Contents

The Journal of Clinical Investigation
November 1991, Volume 88, Number 5

Perspectives

Molecular genetics of intestinal glucose transport. *E. M. Wright, E. Turk, B. Zabel, S. Mundlos, and J. Dyer* 1435

Genetic causes of aortic aneurysms. Unlearning at least part of what the textbooks say. *H. Kuivaniemi, G. Tromp, and D. J. Prockop* 1441

Interleukin 1 receptor antagonist. A new member of the interleukin 1 family. *W. P. Arend* 1445

Regular Articles

Increased expression of the interleukin 1 receptor on blood neutrophils of humans with the sepsis syndrome. *M. B. Fasano, S. Cousart, S. Neal, and C. E. McCall* . . 1452

Molecular cloning and characterization of recombinant parasite antigens for immunodiagnosis of onchocerciasis. *R. Chandrashekar, K. Masood, R. M. Alvarez, A. F. Ogunrinade, R. Lujan, F. O. Richards, Jr., and G. J. Weil* 1460

Antimalarial effects of peptide inhibitors of a *Plasmodium falciparum* cysteine proteinase. *P. J. Rosenthal, W. S. Wollish, J. T. Palmer, and D. Rasnick* 1467

Activation of T lymphocytes in dengue virus infections. High levels of soluble interleukin 2 receptor, soluble CD4, soluble CD8, interleukin 2, and interferon-γ in sera of children with dengue. *I. Kurane, B. L. Innis, S. Nimmannitya, A. Nisalak, A. Meager, J. Janus, and F. A. Ennis* 1473

Failure of atrial natriuretic factor to increase with saline load in patients with dilated cardiomyopathy and mild heart failure. *M. Volpe, C. Tritto, N. De Luca, A. F. Mele, G. Lembo, S. Rubattu, M. Romano, P. De Campora, I. Enea, B. Ricciardelli, B. Trimarco, and M. Condorelli* 1481

Influence of apolipoprotein E polymorphism on apolipoprotein B-100 metabolism in normolipemic subjects. *T. Demant, D. Bedford, C. J. Packard, and J. Shepherd* 1490

Feedback inhibition of cyclic adenosine monophosphate–stimulated Na^+ transport in the rabbit cortical collecting duct via Na^+-dependent basolateral Ca^{++} entry. *M. D. Breyer* 1502

Hydrogen peroxide–mediated toxicity for *Leishmania donovani chagasi* promastigotes. Role of hydroxyl radical and protection by heat shock. *J. H. Zarley, B. E. Britigan, and M. E. Wilson* 1511

Mesangial cell autoantigens in immunoglobulin A nephropathy and Henoch-Schönlein purpura. *D. J. O'Donoghue, A. Darvill, and F. W. Ballardie* . . . 1522

Escherichia coli hemolysin is a potent inductor of phosphoinositide hydrolysis and related metabolic responses in human neutrophils. *F. Grimminger, U. Sibelius, S. Bhakdi, N. Suttorp, and W. Seeger* . . . 1531

Deficiency in phosphorylase phosphatase activity despite elevated protein phosphatase type-1 catalytic subunit in skeletal muscle from insulin-resistant subjects. *B. L. Nyomba, D. L. Brautigan, K. K. Schlender, W. Wang, C. Bogardus, and D. M. Mott* 1540

Effect of denervation on the expression of two glucose transporter isoforms in rat hindlimb muscle. *N. E. Block, D. R. Menick, K. A. Robinson, and M. G. Buse* 1546

Evidence from oocyte expression that the erythrocyte water channel is distinct from band 3 and the glucose transporter. *R. Zhang, S. L. Alper, B. Thorens, and A. S. Verkman* 1553

L-Arginine abrogates salt-sensitive hypertension in Dahl/Rapp rats. *P. Y. Chen and P. W. Sanders* 1559

von Willebrand factor binding to platelet GpIb initiates signals for platelet activation. *M. H. Kroll, T. S. Harris, J. L. Moake, R. I. Handin, and A. I. Schafer* 1568

Regulation of transforming growth factor-β1 gene expression by glucocorticoids in normal human T lymphocytes. *O. AyanlarBatuman, A. P. Ferrero, A. Diaz, and S. A. Jimenez* 1574

The vascular smooth muscle α-actin gene is reactivated during cardiac hypertrophy provoked by load. *F. M. Black, S. E. Packer, T. G. Parker, L. H. Michael, R. Roberts, R. J. Schwartz, and M. D. Schneider* . . . 1581

Systemic lysis protects against the effects of platelet activation during coronary thrombolysis. *D. J. Fitzgerald, M. Hanson, and G. A. FitzGerald* 1589

Cytogenetic and molecular genetic studies of follicular and papillary thyroid cancers. *M. A. Herrmann, I. D. Hay, D. H. Bartelt, Jr., S. R. Ritland, R. J. Dahl, C. S. Grant, and R. B. Jenkins* 1596

Neutrophil migration across a cultured intestinal epithelium. Dependence on a CD11b/CD18-mediated event and enhanced efficiency in physiological direction. *C. A. Parkos, C. Delp, M. A. Arnaout, and J. L. Madara* 1605

Mithramycin inhibits SP1 binding and selectively inhibits transcriptional activity of the dihydrofolate reductase gene in vitro and in vivo. *S. W. Blume, R. C. Snyder, R. Ray, S. Thomas, C. A. Koller, and D. M. Miller* . . . 1613

Accumulation of hyaluronan and tissue edema in experimental myocardial infarction. *A. Waldenström, H. J. Martinussen, B. Gerdin, and R. Hällgren* 1622

Differences in insulin action as a function of original anatomical site of newly differentiated adipocytes obtained in primary culture. *C. Sztalryd, S. Azhar, and G. M. Reaven* 1629

Angiotensin inhibition potentiates the renal responses to neutral endopeptidase inhibition in dogs with congestive heart failure. *K. B. Margulies, M. A. Perrella, L. J. McKinley, and J. C. Burnett, Jr.* 1636

Sjögren-Larsson syndrome. Deficient activity of the fatty aldehyde dehydrogenase component of fatty alcohol:NAD^+ oxidoreductase in cultured fibroblasts. *W. B. Rizzo and D. A. Craft* 1643

Evidence for direct estrogen regulation of the human gonadotropin-releasing hormone gene. *S. Radovick, C. M. Ticknor, Y. Nakayama, A. C. Notides, A. Rahman, B. D. Weintraub, G. B. Cutler, Jr., and F. E. Wondisford* 1649

Constitutive expression of a 92-kD gelatinase (type V collagenase) by rheumatoid synovial fibroblasts and its induction in normal human fibroblasts by inflammatory cytokines. *E. N. Unemori, M. S. Hibbs, and E. P. Amento* 1656

Flow activates an endothelial potassium channel to release an endogenous nitrovasodilator. *J. P. Cooke, E. Rossitch, Jr., N. A. Andon, J. Loscalzo, and V. J. Dzau* 1663

Evidence for persistent hepatitis C virus (HCV) infection in hemophiliacs. *J.-P. Allain, S. H. Dailey, Y. Laurian, D. S. Vallari, A. Rafowicz, S. M. Desai, and S. G. Devare* 1672

Acceleration of the thrombin inactivation of single chain urokinase-type plasminogen activator (pro-urokinase) by thrombomodulin. *G. A. W. de Munk, E. Groeneveld, and D. C. Rijken* 1680

Factor $X_{\text{Santo Domingo}}$. Evidence that the severe clinical phenotype arises from a mutation blocking secretion. *H. H. Watzke, A. Wallmark, N. Hamaguchi, P. Giardina, D. W. Stafford, and K. A. High* 1685

Inhibition of platelet function by an aspirin-insensitive endothelial cell ADPase. Thromboregulation by endothelial cells. *A. J. Marcus, L. B. Safier, K. A. Hajjar, H. L. Ullman, N. Islam, M. J. Broekman, and A. M. Eiroa* 1690

In vitro growth rate of placental fibroblasts is developmentally regulated. *M. E. Fant* 1697

Differential regulation of Na/H antiporter by acid in renal epithelial cells and fibroblasts. *O. W. Moe, R. T. Miller, S. Horie, A. Cano, P. A. Preisig, and R. J. Alpern* . . . 1703

Nerve growth factor in the urinary bladder of the adult regulates neuronal form and function. *W. D. Steers, S. Kolbeck, D. Creedon, and J. B. Tuttle* 1709

Exclusion of linkage between the collagenase gene and generalized recessive dystrophic epidermolysis bullosa phenotype. *A. Hovnanian, P. Duquesnoy, S. Amselem, C. Blanchet-Bardon, M. Lathrop, L. Dubertret, and M. Goossens* 1716

Molecular and metabolic basis for the metabolic disorder normotriglyceridemic abetalipoproteinemia. *D. A. Hardman, C. R. Pullinger, R. L. Hamilton, J. P. Kane, and M. J. Malloy* 1722

Erythropoietic protoporphyria in the house mouse. A recessive inherited ferrochelatase deficiency with anemia, photosensitivity, and liver disease. *S. Tutois, X. Montagutelli, V. Da Silva, H. Jouault, P. Rouyer-Fessard, K. Leroy-Viard, J.-L. Guénet, Y. Nordmann, Y. Beuzard, and J.-C. Deybach* 1730

Accumulation of fetal fibronectin mRNAs during the development of rat cardiac hypertrophy induced by pressure overload. *J. L. Samuel, A. Barrieux, S. Dufour, I. Dubus, F. Contard, V. Koteliansky, F. Farhadian, F. Marotte, J.-P. Thiéry, and L. Rappaport* 1737

Dysregulation of in vitro cytokine production by monocytes during sepsis. *C. Munoz, J. Carlet, C. Fitting, B. Misset, J.-P. Blériot, and J.-M. Cavaillon* 1747

Rapid Publications

Reduction in plasma human immunodeficiency virus ribonucleic acid after dideoxynucleoside therapy as determined by the polymerase chain reaction. *M. Holodniy, D. A. Katzenstein, D. M. Israelski, and T. C. Merigan* 1755

Active site-blocked factor IXa prevents intravascular thrombus formation in the coronary vasculature without inhibiting extravascular coagulation in a canine thrombosis model. *C. R. Benedict, J. Ryan, B. Wolitzky, R. Ramos, M. Gerlach, P. Tijburg, and D. Stern* 1760

Human $Fc_{\gamma}RII$, in the absence of other Fc_{γ} receptors, mediates a phagocytic signal. *Z. Indik, C. Kelly, P. Chien, A. I. Levinson, and A. D. Schreiber* 1766

Lactate activates ATP-sensitive potassium channels in guinea pig ventricular myocytes. *E. C. Keung and Q. Li* 1772

A lymphocyte homing receptor (L-Selectin) mediates the in vitro attachment of lymphocytes to myelinated tracts of the central nervous system. *K. Huang, J. S. Geoffroy, M. S. Singer, and S. D. Rosen* 1778

November Author Index 1784

Contents

The Journal of Clinical Investigation
December 1991, Volume 88, Number 6

Perspectives

Role of oxidized low density lipoprotein in atherogenesis. *J. L. Witztum and D. Steinberg* 1785

Regular Articles

Detection of pre-C and core region mutants of hepatitis B virus in chronic hepatitis B virus carriers. *T. Wakita, S. Kakumu, M. Shibata, K. Yoshioka, Y. Ito, T. Shinagawa, T. Ishikawa, M. Takayanagi, and T. Morishima* 1793

Increased expression of the interleukin-8 gene by alveolar macrophages in idiopathic pulmonary fibrosis. A potential mechanism for the recruitment and activation of neutrophils in lung fibrosis. *P. C. Carré, R. L. Mortenson, T. E. King, Jr., P. W. Noble, C. L. Sable, and D. W. H. Riches* 1802

An idiotypic marker associated with a germ-line encoded κ light chain variable region that predominates the vaccine-induced human antibody response to the *Haemophilus influenzae* b polysaccharide. *A. H. Lucas, R. J. Langley, D. M. Granoff, M. H. Nahm, M. Y. Kitamura, and M. G. Scott* 1811

Effects of lysophosphatidylcholine on electrophysiological properties and excitation–contraction coupling in isolated guinea pig ventricular myocytes. *E. Liu, J. I. Goldhaber, and J. N. Weiss* 1819

The terminal complement proteins C5b-9 augment binding of high density lipoprotein and its apolipoproteins A-I and A-II to human endothelial cells. *K. K. Hamilton and P. J. Sims* 1833

Abundant expression of parathyroid hormone–related protein in primary rat aortic smooth muscle cells accompanies serum-induced proliferation. *T. Hongo, J. Kupfer, H. Enomoto, B. Sharifi, D. Giannella-Neto, J. S. Forrester, F. R. Singer, D. Goltzman, G. N. Hendy, C. Pirola, J. A. Fagin, and T. L. Clemens* 1841

Xanthine oxidase inhibits growth of *Plasmodium falciparum* in human erythrocytes in vitro. *P. A. Berman, L. Human, and J. A. Freese* 1848

Heterogeneous mutations in the human lipoprotein lipase gene in patients with familial lipoprotein lipase deficiency. *T. Gotoda, N. Yamada, M. Kawamura, K. Kozaki, N. Mori, S. Ishibashi, H. Shimano, F. Takaku, Y. Yazaki, Y. Furuichi, and T. Murase* 1856

Induction of omega-oxidation of monocarboxylic acids in rats by acetylsalicylic acid. *R. K. Kundu, J. H. Tonsgard, and G. S. Getz* 1865

Photosensitized killing of cultured fibroblasts from patients with peroxisomal disorders due to pyrene fatty acid–mediated ultraviolet damage. *G. Hoefler, E. Paschke, S. Hoefler, A. B. Moser, and H. W. Moser* 1873

Severe deficiency of cystic fibrosis transmembrane conductance regulator messenger RNA carrying nonsense mutations R553X and W1316X in respiratory epithelial cells of patients with cystic fibrosis. *A. Hamosh, B. C. Trapnell, P. L. Zeitlin, C. Montrose-Rafizadeh, B. J. Rosenstein, R. G. Crystal, and G. R. Cutting* . . . 1880

Hydrogen peroxide–induced renal injury. A protective role for pyruvate in vitro and in vivo. *A. K. Salahudeen, E. C. Clark, and K. A. Nath* 1886

Cholesterol enrichment increases basal and agonist-stimulated calcium influx in rat vascular smooth muscle cells. *R. A. Bialecki, T. N. Tulenko, and W. S. Colucci* 1894

A 3′ splice site mutation in the thyroglobulin gene responsible for congenital goiter with hypothyroidism. *T. Ieiri, P. Cochaux, H. M. Targovnik, M. Suzuki, S.-I. Shimoda, J. Perret, and G. Vassart* 1901

Inhibition of thrombomodulin surface expression and protein C activation by the thrombogenic agent homocysteine. *S. R. Lentz and J. E. Sadler* 1906

Increased cyclic AMP levels enhance IL-1α and IL-1β mRNA expression and protein production in human myelomonocytic cell lines and monocytes. *S.-s. J. Sung and J. A. Walters* 1915

Glioblastoma expression of vitronectin and the αvβ3 integrin. Adhesion mechanism for transformed glial cells. *C. L. Gladson and D. A. Cheresh* 1924

Endogenous adenosine is an autacoid feedback inhibitor of chloride transport in the shark rectal gland. *G. G. Kelley, O. S. Aassar, and J. N. Forrest, Jr.* 1933

Chronic nonocclusive coronary artery constriction in rats. β-Adrenoreceptor signal transduction and ventricular failure. *L. G. Meggs, H. Huang, P. Li, J. M. Capasso, and P. Anversa* 1940

Asialoagalacto–human chorionic gonadotropin, a carbohydrate-modified variant of human chorionic gonadotropin, antagonizes the stimulatory actions of bovine thyroid-stimulating hormone on thyroid function and HLA-DR expression in human thyroid in vitro and in vivo. *R. Hoermann, P.-M. Schumm-Draeger, K. Rehbach, and K. Mann* 1947

Normal genes for the cholesterol side chain cleavage enzyme, P450scc, in congenital lipoid adrenal hyperplasia. *D. Lin, S. E. Gitelman, P. Saenger, and W. L. Miller* . . 1955

Effects of α-thalassemia and sickle polymerization tendency on the urine-concentrating defect of individuals with sickle cell trait. *A. K. Gupta, K. A. Kirchner, R. Nicholson, J. G. Adams III, A. N. Schechter, C. T. Noguchi, and M. H. Steinberg* 1963

Mitogenic effect of lysosomal hydrolases on bovine tracheal myocytes in culture. *D. B. Lew and M. C. Rattazzi* 1969

Surfactant chemical composition and biophysical activity in acute respiratory distress syndrome. *T. J. Gregory, W. J. Longmore, M. A. Moxley, J. A. Whitsett, C. R. Reed, A. A. Fowler III, L. D. Hudson, R. J. Maunder, C. Crim, and T. M. Hyers* 1976

Eosinophil hematopoietins antagonize the programmed cell death of eosinophils. Cytokine and glucocorticoid effects on eosinophils maintained by endothelial cell–conditioned medium. *E. Her, J. Frazer, K. F. Austen, and W. F. Owen, Jr.* 1982

Role of renal sympathetic nerves in lambs during the transition from fetal to newborn life. *F. G. Smith, B. A. Smith, E. N. Guillery, and J. E. Robillard* 1988

Estrogen and progesterone replacement therapy reduces low density lipoprotein accumulation in the coronary arteries of surgically postmenopausal cynomolgus monkeys. *J. D. Wagner, T. B. Clarkson, R. W. St. Clair, D. C. Schwenke, C. A. Shively, and M. R. Adams* . . . 1995

Enhanced attenuation of meningeal inflammation and brain edema by concomitant administration of anti-CD18 monoclonal antibodies and dexamethasone in experimental *Haemophilus* meningitis. *X. Sáez-Llorens, H. S. Jafari, C. Severien, F. Parras, K. D. Olsen, E. J. Hansen, I. I. Singer, and G. H. McCracken, Jr.* . . 2003

A comparative study of the promotion of tissue plasminogen activator and pro-urokinase–induced plasminogen activation by fragments D and E-2 of fibrin. *J.-n. Liu and V. Gurewich* 2012

A single myocardial stretch or decreased systolic fiber shortening stimulates the expression of heat shock protein 70 in the isolated, erythrocyte-perfused rabbit heart. *A. A. Knowlton, F. R. Eberli, P. Brecher, G. M. Romo, A. Owen, and C. S. Apstein* 2018

On the binding of tumor necrosis factor (TNF) to heparin and the release in vivo of the TNF-binding protein I by heparin. *M. Lantz, H. Thysell, E. Nilsson, and I. Olsson* 2026

Maturational regulation of inositol 1,4,5-trisphosphate metabolism in rabbit airway smooth muscle. *S. M. Rosenberg, G. T. Berry, J. R. Yandrasitz, and M. M. Grunstein* 2032

Monocyte transmigration induced by modification of low density lipoprotein in cocultures of human aortic wall cells is due to induction of monocyte chemotactic protein 1 synthesis and is abolished by high density lipoprotein. *M. Navab, S. S. Imes, S. Y. Hama, G. P. Hough, L. A. Ross, R. W. Bork, A. J. Valente, J. A. Berliner, D. C. Drinkwater, H. Laks, and A. M. Fogelman* . . . 2039

Mechanisms of impaired exercise capacity in short duration experimental hyperthyroidism. *W. H. Martin III, R. J. Spina, E. Korte, K. E. Yarasheski, T. J. Angelopoulos, P. M. Nemeth, and J. E. Saffitz* 2047

Fatty acids in the portal vein of the rat regulate hepatic insulin clearance. *J. Svedberg, G. Strömblad, A. Wirth, U. Smith, and P. Björntorp* 2054

Mechanism of plasma cholesteryl ester transfer in hypertriglyceridemia. *C. J. Mann, F. T. Yen, A. M. Grant, and B. E. Bihain* 2059

Mobilization of sialidase from intracellular stores to the surface of human neutrophils and its role in stimulated adhesion responses of these cells. *A. S. Cross and D. G. Wright* 2067

Impaired skeletal muscle function in patients with congestive heart failure. Relationship to systemic exercise performance. *J. R. Minotti, I. Christoph, R. Oka, M. W. Weiner, L. Wells, and B. M. Massie* 2077

Impaired elastin fiber assembly related to reduced 67-kD elastin–binding protein in fetal lamb ductus arteriosus and in cultured aortic smooth muscle cells treated with chondroitin sulfate. *A. Hinek, R. P. Mecham, F. Keeley, and M. Rabinovitch* 2083

Bisphosphonate action. Alendronate localization in rat bone and effects on osteoclast ultrastructure. *M. Sato, W. Grasser, N. Endo, R. Akins, H. Simmons, D. D. Thompson, E. Golub, and G. A. Rodan* 2095

Molecular and cellular actions of platelet-activating factor in rat heart cells. *C. V. Massey, T. A. Kohout, S. T. Gaa, W. J. Lederer, and T. B. Rogers* 2106

Water deprivation stimulates transforming growth factor-β2 accumulation in the juxtaglomerular apparatus of mouse kidney. *S. Horikoshi, B. K. McCune, P. E. Ray, J. B. Kopp, M. B. Sporn, and P. E. Klotman* 2117

Characterization of seven novel mutations of the c-erbAβ gene in unrelated kindreds with generalized thyroid hormone resistance. Evidence for two "hot spot" regions of the ligand binding domain. *R. Parrilla, A. J. Mixson, J. A. McPherson, J. H. McClaskey, and B. D. Weintraub* 2123

Interferon-alpha restores the deficient expression of the cytoadhesion molecule lymphocyte function antigen-3 by chronic myelogenous leukemia progenitor cells. *G. Upadhyaya, S. C. Guba, S. A. Sih, A. P. Feinberg, M. Talpaz, H. M. Kantarjian, A. B. Deisseroth, and S. G. Emerson* 2131

Effect of chronic renal failure on Na,K-ATPase α1 and α2 mRNA transcription in rat skeletal muscle. *S. Bonilla, I. A. Goecke, S. Bozzo, M. Alvo, L. Michea, and E. T. Marusic* 2137

Rapid Publications

A restriction fragment of the C2 gene is a unique marker for C2 deficiency and the uncommon *C2* allele *C2*B* (a marker for type 1 diabetes). *S. Simon, Z. Awdeh, R. D. Campbell, P. Ronco II, S. J. Brink, G. S. Eisenbarth, E. J. Yunis, and C. A. Alper* 2142

Expression of the hepatocellular chloride-dependent sulfobromophthalein uptake system in *Xenopus laevis* oocytes. *E. Jacquemin, B. Hagenbuch, B. Stieger, A. W. Wolkoff, and P. J. Meier* 2146

All-*trans* retinoic acid modulates the retinoic acid receptor-α in promyelocytic cells. *C. Chomienne, N. Balitrand, P. Ballerini, S. Castaigne, H. de Thé, and L. Degos* 2150

December Author Index 2155

Correction 2157

Author Index to Volume 88 2161